				·
L Number	Hits	Search Text	DB	Time stamp
1	1	5987460.pn. AND summar\$5	USPAT;	2004/03/18 14:53
			EPO; JPO;	
			DERWENT;	
	_	FORCES AND THE SALE	IBM_TDB	2004/02/49 44:50
2	2	5826261.pn. AND quer\$4 \	USPAT;	2004/03/18 14:53
		\	EPO; JPO;	
			DERWENT;	
	745545	hitashi aa	IBM_TDB USPAT;	2003/08/05 13:50
-	745515	hitachi.as.	EPO; JPO;	2003/00/03 13.30
.			DERWENT;	
.		,	IBM_TDB	
	229	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)	USPAT;	2003/09/29 13:34
-	223	ווונטאווים אויים א	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	7	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1))	USPAT;	2003/09/30 13:26
	•	AND (merg\$4)	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
-	0	morgernstein.in. AND (common NEAR2 format\$1)	USPAT;	2003/08/05 15:05
		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	morgernstein.in. AND SGML	USPAT;	2003/08/05 15:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	morgernstern.in. AND SGML	USPAT;	2003/08/05 15:06
			EPO; JPO;	
			DERWENT;	
	_	, . AND 001"	IBM_TDB	000000000000000000000000000000000000000
-	. 3	morgenstern.in. AND SGML	USPAT;	2003/08/05 15:06
			EPO; JPO;	
			DERWENT;	
	4	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1))	IBM_TDB USPAT;	2003/09/29 12:44
-	4	(nitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)) AND (topic NEAR2 (word\$1 keyword\$1))	EPO; JPO;	2003/08/28 2.44
		MAD (TOPIC INCAINE (WOLDS I KEYWOLDS I))	DERWENT;	
			IBM_TDB	
<u>-</u>	1	5987460.pn. AND associative	USPAT;	2003/09/29 12:44
	•	- 333. 133.pm./ 1115 0000000000	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
_	5	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND	USPAT;	2003/09/29 13:06
		(associative NEAR4 (search\$3 quer\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	849	(associative NEAR4 (search\$3 quer\$4))	USPAT;	2003/09/29 13:06
			EPO; JPO;	•
		·	DERWENT;	
			IBM_TDB	
-	118	((associative NEAR4 (search\$3 quer\$4))) AND 707/\$.ccls.	USPAT;	2003/09/29 13:06
			EPO; JPO;	
			DERWENT;	
		(((appenintive NEADA (apprehe) avere 4\\\ AND 707/6 a-t- \	IBM_TDB	2002/00/20 42:07
-	55	(((associative NEAR4 (search\$3 quer\$4))) AND 707/\$.ccls.)	USPAT;	2003/09/29 13:07
		AND ((keyword\$1 word\$1 term\$1) NEAR4 (search\$3 quer\$4))	EPO; JPO; DERWENT;	
			IBM_TDB	
	1	6457004.URPN.	USPAT	2003/09/29 13:09
_	26	("4734848" "4992972" "5257186" "5331554" "5544352"	USPAT	2003/09/29 13:10
	20	"5598557" "5606690" "5713016" "5732260" "5754938"		
		"5754939" "5794178" "5798752" "5832494" "5838965"		
		"5845278" "5893087" "5911138" "5933822" "5933827"		
		"5963205" "5987460" "6012053" "6029195" "6175830"		
		"6182065").PN.		
Coorah Histo		7:25:12 DM Dogs 1	<u></u>	

Search History 3/18/04 7:35:13 PM Page 1
C:\APPS\EAST\Workspaces\case\2001\09916273.wsp

-	31	5845278.URPN.	USPAT	2003/09/29 13:20
-	6	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND	USPAT;	2003/09/29 13:35
		associative	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)	USPAT;	2003/09/29 16:08
		AND associative) AND database\$1	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	11433	707/\$.ccls.	USPAT;	2003/09/29 16:09
		101141000	EPO; JPO;	
			DERWENT:	
			IBM TDB	
_	7	707/\$.ccls. AND ((associative NEAR2 (search\$3 quer\$4))	USPAT;	2003/09/29 16:11
.	'	NEAR6 document\$1)	EPO; JPO;	2000/05/25 10/11
-		NEARO document(\$1)	DERWENT;	
			IBM_TDB	
	000	(/-iil@E NEADA do ouro mA@A) NEADO (o o grab@O muse@A))	USPAT:	2003/09/29 16:15
-	339	((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))		2003/09/29 16.15
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/00 10 11
-	153	(((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4)))	USPAT;	2003/09/29 16:11
		AND 707/\$.ccls.	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	145	(((((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4)))	USPAT;	2003/09/29 16:15
		AND 707/\$.ccls.) AND ((search\$3 quer\$4) NEAR4 (keyword\$1	EPO; JPO;	
		word\$1 term\$1))	DERWENT;	
		, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
	416	(((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3	USPAT;	2003/09/29 16:15
		quer\$4))	EPO; JPO;	
		4-5-4-1//	DERWENT;	
			IBM_TDB	
l _	282	((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6	USPAT;	2003/09/29 16:15
		(search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4	EPO; JPO;	2000/00/20 10:10
		(keyword\$1 word\$1 term\$1))	DERWENT;	
		(Keywordwi wordwi termwi))	IBM_TDB	
_	13	(((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6	USPAT;	2003/09/29 16:16
	.0	(search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4	EPO; JPO;	2000/00/20 10:10
		(keyword\$1 word\$1 term\$1))) AND ((select\$4 choos\$3)	DERWENT;	
		NEAR4 databases)	IBM_TDB	
	10	l	USPAT;	2003/09/29 18:24
-	10	documents record as record query	EPO; JPO;	2005/09/29 10:24
			DERWENT;	
			IBM_TDB	
	2500	(outpassuent NEADA (occrete) avertal)	USPAT;	2003/09/29 16:27
-	2589	(subsequent NEAR4 (search\$3 quer\$4))		2003/08/28 10.2/
			EPO; JPO;	
		· ·	DERWENT;	
		(IBM_TDB	2002/00/20 40:07
-	73	(subsequent NEAR4 (search\$3 quer\$4)) NEAR8 document\$1	USPAT;	2003/09/29 16:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	48	((subsequent NEAR4 (search\$3 quer\$4)) NEAR8	USPAT;	2003/09/29 16:27
		document\$1) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	50	document\$1 NEAR4 as NEAR4 (quer\$4 search\$3)	USPAT;	2003/09/29 16:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	document\$1 ADJ4 as ADJ4 (quer\$4 search\$3)	USPAT;	2003/09/29 16:38
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	1	l		·

•	51	(document\$1 NEAR4 (subsequent NEAR4 (search\$3 quer\$4)))	USPAT; EPO; JPO;	2003/09/29 18:03
			DERWENT;	
			IBM_TDB	
-	153	(result\$1 NEAR4 (subsequent NEAR4 (quer\$4 search\$3)))	USPAT;	2003/09/29 18:04
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	. 4	(document\$1 NEAR6 result\$1 NEAR4 (subsequent NEAR4	USPAT;	2003/09/29 18:09
		(quer\$4,search\$3)))	EPO; JPO;	
			DERWENT;	
_	2	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)	IBM_TDB USPAT:	2003/09/29 18:10
	_	NEAR4 subsequent	EPO; JPO;	2000/00/20 10:10
		,	DERWENT;	
•			IBM_TDB	
-	307	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)	USPAT;	2003/09/29 18:10
			EPO; JPO; DERWENT:	
			IBM_TDB	
-	63	((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4))	USPAT;	2003/09/29 18:11
		AND (document\$1 NEAR2 vector\$1)	EPO; JPO;	
			DERWENT;	
_	46	(((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4))	IBM_TDB USPAT;	2003/09/29 18:12
	,	AND (document\$1 NEAR2 vector\$1)) AND 707/\$.ccls.	EPO; JPO;	2000/00/20 10:12
			DERWENT;	
		(5) 150 () 100 () 100	IBM_TDB	000000000000000000000000000000000000000
-	397	(refine NEAR4 (search\$3 quer\$4))	USPAT;	2003/09/29 18:13
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	74	((refine NEAR4 (search\$3 quer\$4))) AND (subsequent NEAR4	USPAT;	2003/09/29 18:13
		(search\$3 quer\$4))	EPO; JPO;	
			DERWENT; IBM_TDB	
_	3	(((refine NEAR4 (search\$3 quer\$4))) AND (subsequent	USPAT:	2003/09/29 18:16
		NEAR4 (search\$3 quer\$4))) AND (document\$1 NEAR2	EPO; JPO;	
		vector\$1)	DERWENT;	
	0	(document\$1 AD IS as) AD IS quer\$4	IBM_TDB	2003/09/29 18:19
] -	. "	(document\$1 ADJ6 as) ADJ6 quer\$4	USPAT; EPO; JPO;	2003/09/29 16.19
			DERWENT;	
			IBM_TDB	
-	171	document\$1 WITH as WITH quer\$4	USPAT;	2003/09/29 18:20
			EPO; JPO; DERWENT;	
			IBM TDB	
- .	140	(document\$1 WITH as WITH quer\$4) AND 707/\$.ccls.	USPAT;	2003/09/29 18:19
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	5	(document\$1 ADJ6 as) WITH quer\$4	USPAT;	2003/09/29 18:21
			EPO; JPO;	
			DERWENT;	
	12	documents NEADA on NEADA cuesta	IBM_TDB	2002/00/20 48:25
-	12	document\$1 NEAR4 as NEAR4 quer\$4	USPAT; EPO; JPO;	2003/09/29 18:25
			DERWENT;	
			IBM_TDB	,
-	42	document\$1 NEAR6 as NEAR6 quer\$4	USPAT	2003/09/29 18:29
-	2	6457004.pn.	USPAT; EPO; JPO;	2003/09/30 14:54
			DERWENT;	
			IBM_TDB	

-	1	6457004.pn. AND content\$1	USPAT;	2003/09/30 15:20
			EPO; JPO;	
	i		DERWENT;	
			IBM_TDB	
-	0	6457004.pn. AND boolean	USPAT;	2003/09/30 16:33
			EPO; JPO;	
		r	DERWENT;	
		·	IBM_TDB	
-	1	6457004.pn. AND summar\$4	USPAT;	2003/09/30 16:33
	ŀ		EPO; JPO;	
•			DERWENT;	
			IBM_TDB	
-	4	5987460.pn. 6457004.pn.	USPAT;	2003/09/30 17:17
			EPO; JPO;	
	!		DERWENT;	
			IBM_TDB	0004/004404400
-	16	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8) NEAR4 (quer\$4	USPAT;	2004/03/16 14:09
		search\$3)) NEAR8 syntactic\$4	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	12648	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:24
		NEAR4 (quer\$4 search\$3))	EPO; JPO;	
			DERWENT;	
]	·	IBM_TDB	
-	1644	(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:10
		NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4	EPO; JPO;	
		database\$1)	DERWENT;	
			IBM_TDB	
-	960	((((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:10
		NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4	EPO; JPO;	
,		database\$1)) AND 707/\$.ccls.	DERWENT;	
			IBM_TDB	
-	60	(((((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:16
		NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4	EPO; JPO;	
-		database\$1)) AND 707/\$.ccls.) AND ((search\$3 quer\$4)	DERWENT;	
		NEAR4 (multiple pluralit\$4) NEAR4 databases)	IBM_TDB	
-	28	707/\$.ccls. AND ((search\$3 quer\$4) NEAR4	USPAT;	2004/03/16 14:17
		(heterogeneous\$2) NEAR4 databases)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22	(707/\$.ccls. AND ((search\$3 quer\$4) NEAR4	USPAT;	2004/03/16 14:17
		(heterogeneous\$2) NEAR4 databases)) AND (((construct\$4	EPO; JPO;	
		build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4	DERWENT;	
		search\$3)))	IBM_TDB	00011001101101
-	150	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:24
		NEAR4 (quer\$4 search\$3)) NEAR8 boolean	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	0004/004/01=5:
-	132	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 15:21
	ļ	NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	EPO; JPO;	
	1	semantic\$4)	DERWENT;	
			IBM_TDB	0004/00440 1 : 5=
-	16	(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:27
		NEAR4 (quer\$4 search\$3)) NEAR8 boolean) AND	EPO; JPO;	
		(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	DERWENT;	
		NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	IBM_TDB	
		semantic\$4))		0004/00440 17 17
-	2	(database\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4	USPAT;	2004/03/16 15:12
		only NEAR4 boolean)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/00440 47 45
-	0	(engine\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4	USPAT;	2004/03/16 15:12
		only NEAR4 boolean)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

		•	•	
-	0	(server\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO;	2004/03/16 15:12
		NEARY Booleany	DERWENT;	
		// / AND THE PROPERTY OF THE P	IBM_TDB	0004/00/40 45 40
-	9	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 15:42
		NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	EPO; JPO;	
	1	semantic\$4) NEAR10 (engine\$1)	DERWENT;	
•	12	5982370.uref.	IBM_TDB USPAT;	2004/03/16 15:41
-	12	5962570.urei.	EPO; JPO;	2004/03/10 15.41
			DERWENT:	
			IBM TDB	
[_	0	(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 15:43
-		NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	EPO; JPO;	2004/03/10 13:43
		semantic\$4)) AND 5982370.uref.	DERWENT;	
		Schlandor III The Cooper Caroli	IBM_TDB	
_	0	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 15:42
1		NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND	EPO; JPO;	
		5982370.uref.	DERWENT:	
			IBM TDB	,
-	0	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3	USPAT;	2004/03/16 15:43
		semantic\$4)) AND 5982370.uref.	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	103	(quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3	USPAT;	2004/03/16 15:44
		semantic\$4) NEAR8 (engine\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	77	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3	USPAT;	2004/03/16 15:43
		semantic\$4) NEAR8 (engine\$1)) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
	07	//	IBM_TDB	0004/00/40 40 00
-	27	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3	USPAT;	2004/03/16 16:02
		semantic\$4) NEAR8 (engine\$1)) NEAR8 (user\$1 human\$1)	EPO; JPO;	
		·	DERWENT; IBM_TDB	
	39	((modif\$8 edit\$4 chang\$3) NEAR4 (boolean NEAR2	USPAT;	2004/03/16 16:05
_	39	expression\$1))	EPO; JPO;	2004/03/16 16.05
		εχριεσσιοτήφ 1 <i>))</i>	DERWENT:	
			IBM_TDB	
_	4	((confirm\$4) NEAR4 (boolean NEAR2 expression\$1))	USPAT:	2004/03/16 16:07
		((committee) (testing to the control of the control	EPO; JPO;	200 1700710 10.01
]	· ·	DERWENT;	
			IBM TDB	
-	63	(search ADJ1 engine\$1) NEAR8 (syntactical\$2 syntax\$3	USPAT;	2004/03/16 17:39
		semantic\$4)	EPO; JPO;	
		· <i>'</i>	DERWENT;	
		· · ·	IBM_TDB	